


## AR878A

### Trent II LED Charge Cable

**Branding Options:** Light-Up Logo, Pad Print, 4CP Digital Print

**Product Size:** Cable Retainer: 34 dia. x 8 mm, Cable Length: 120 cm

**Colour:** Product Colour: SILVER-BLACK: Black shell\_Silver frame\_Black cable\_Black input\_Silver-Black output\_White LED, BLACK-BLACK: Black shell\_Black frame\_Black cable\_Black input\_Black-Black output\_White LED, BLUE-BLACK: Black shell\_Blue frame\_Black cable\_Black input\_Blue-Black output\_Blue LED, BLUE-WHITE: Blue shell\_Blue frame\_White cable\_White input\_Blue-White output\_White LED, GREEN-BLACK: Black shell\_Green frame\_Black cable\_Black input\_Green-Black output\_White LED, GREY-BLACK: Black shell\_Grey frame\_Black cable\_Black input\_Grey-Black output\_White LED, ORANGE-BLACK: Black shell\_Orange frame\_Black cable\_Black



Please follow these artwork guidelines • Use and supply vector-based artwork • Illustrator compatible EPS or PDF with all fonts outlined • Indicate any necessary colour details with the correct PMS colour • All Pantone colours need to be supplied as Pantone Coated (PMS C) colours • All specifics need to be "embedded" in the file, i.e. no linked artwork should be provided • Bleed is crucial when printing edge to edge. Artwork must extend beyond the finished and trim size dimensions.


## AR878A

### Trent II LED Charge Cable

**Branding Options:** Light-Up Logo, Pad Print, 4CP Digital Print

**Product Size:** Cable Retainer: 34 dia. x 8 mm, Cable Length: 120 cm

**Colour:** Product Colour: SILVER-BLACK: Black shell\_Silver frame\_Black cable\_Black input\_Silver-Black output\_White LED, BLACK-BLACK: Black shell\_Black frame\_Black cable\_Black input\_Black-Black output\_White LED, BLUE-BLACK: Black shell\_Blue frame\_Black cable\_Black input\_Blue-Black output\_Blue LED, BLUE-WHITE: Blue shell\_ Blue frame\_White cable\_White input\_ Blue-White output\_White LED, GREEN-BLACK: Black shell\_Green frame\_Black cable\_Black input\_Green-Black output\_White LED, GREY-BLACK: Black shell\_Grey frame\_Black cable\_Black input\_Grey-Black output\_White LED, ORANGE-BLACK: Black shell\_Orange frame\_Black cable\_Black



Please follow these artwork guidelines • Use and supply vector-based artwork • Illustrator compatible EPS or PDF with all fonts outlined • Indicate any necessary colour details with the correct PMS colour • All Pantone colours need to be supplied as Pantone Coated (PMS C) colours • All specifics need to be "embedded" in the file, i.e. no linked artwork should be provided • Bleed is crucial when printing edge to edge. Artwork must extend beyond the finished and trim size dimensions.


## AR878A

### Trent II LED Charge Cable


**Branding Options:** Light-Up Logo, Pad Print, 4CP Digital Print

**Product Size:** Cable Retainer: 34 dia. x 8 mm, Cable Length: 120 cm


**Colour:** Product Colour: SILVER-BLACK: Black shell\_Silver frame\_Black cable\_Black input\_Silver-Black output\_White LED, BLACK-BLACK: Black shell\_Black frame\_Black cable\_Black input\_Black-Black output\_White LED, BLUE-BLACK: Black shell\_Blue frame\_Black cable\_Black input\_Blue-Black output\_Blue LED, BLUE-WHITE: Blue shell\_ Blue frame\_White cable\_White input\_ Blue-White output\_White LED, GREEN-BLACK: Black shell\_Green frame\_Black cable\_Black input\_Green-Black output\_White LED, GREY-BLACK: Black shell\_Grey frame\_Black cable\_Black input\_Grey-Black output\_White LED, ORANGE-BLACK: Black shell\_Orange frame\_Black cable\_Black




50%  
 10mm



**Front**  
 Engrave Size:  
 20 x 16 mm



**Front**  
 Print Size:  
 30 mm Diameter  
 4CP Direct Digital



**Rear**  
 30 mm Diameter  
 Pad Print  
 4CP Direct Digital


100%

Green-Black similar to PMS 3425C	
<b>SHELL</b>	Black
<b>FRAME</b>	Green
<b>LED</b>	White
<b>CABLE</b>	Black
<b>Input Connector</b>	Black
<b>Output Connector</b>	Green-Black

White LED



Light Up Engrave



Please follow these artwork guidelines • Use and supply vector-based artwork • Illustrator compatible EPS or PDF with all fonts outlined • Indicate any necessary colour details with the correct PMS colour • All Pantone colours need to be supplied as Pantone Coated (PMS C) colours • All specifics need to be "embedded" in the file, i.e. no linked artwork should be provided • Bleed is crucial when printing edge to edge. Artwork must extend beyond the finished and trim size dimensions.


## AR878A

### Trent II LED Charge Cable

**Branding Options:** Light-Up Logo, Pad Print, 4CP Digital Print

**Product Size:** Cable Retainer: 34 dia. x 8 mm, Cable Length: 120 cm

**Colour:** Product Colour: SILVER-BLACK: Black shell\_Silver frame\_Black cable\_Black input\_Silver-Black output\_White LED, BLACK-BLACK: Black shell\_Black frame\_Black cable\_Black input\_Black-Black output\_White LED, BLUE-BLACK: Black shell\_Blue frame\_Black cable\_Black input\_Blue-Black output\_Blue LED, BLUE-WHITE: Blue shell\_ Blue frame\_White cable\_White input\_ Blue-White output\_White LED, GREEN-BLACK: Black shell\_Green frame\_Black cable\_Black input\_Green-Black output\_White LED, GREY-BLACK: Black shell\_Grey frame\_Black cable\_Black input\_Grey-Black output\_White LED, ORANGE-BLACK: Black shell\_Orange frame\_Black cable\_Black




Orange-Black similar to PMS 171C	
<b>SHELL</b>	Black
<b>FRAME</b>	Orange
<b>LED</b>	Orange
<b>CABLE</b>	Black
<b>Input Connector</b>	Black
<b>Output Connector</b>	Blue-Black

White LED



Light Up Engrave



Please follow these artwork guidelines • Use and supply vector-based artwork • Illustrator compatible EPS or PDF with all fonts outlined • Indicate any necessary colour details with the correct PMS colour • All Pantone colours need to be supplied as Pantone Coated (PMS C) colours • All specifics need to be "embedded" in the file, i.e. no linked artwork should be provided • Bleed is crucial when printing edge to edge. Artwork must extend beyond the finished and trim size dimensions.


## AR878A

### Trent II LED Charge Cable


**Branding Options:** Light-Up Logo, Pad Print, 4CP Digital Print

**Product Size:** Cable Retainer: 34 dia. x 8 mm, Cable Length: 120 cm


**Colour:** Product Colour: SILVER-BLACK: Black shell\_Silver frame\_Black cable\_Black input\_Silver-Black output\_White LED, BLACK-BLACK: Black shell\_Black frame\_Black cable\_Black input\_Black-Black output\_White LED, BLUE-BLACK: Black shell\_Blue frame\_Black cable\_Black input\_Blue-Black output\_Blue LED, BLUE-WHITE: Blue shell\_Blue frame\_White cable\_White input\_Blue-White output\_White LED, GREEN-BLACK: Black shell\_Green frame\_Black cable\_Black input\_Green-Black output\_White LED, GREY-BLACK: Black shell\_Grey frame\_Black cable\_Black input\_Grey-Black output\_White LED, ORANGE-BLACK: Black shell\_Orange frame\_Black cable\_Black




50%  
10mm



**Front**  
 Engrave Size:  
 20 x 16 mm



**Front**  
 Print Size:  
 30 mm Diameter  
 4CP Direct Digital



**Rear**  
 30 mm Diameter  
 Pad Print  
 4CP Direct Digital


100%

	Red-Black
<b>SHELL</b>	Black
<b>FRAME</b>	Silver
<b>LED</b>	White
<b>CABLE</b>	Red-Black
<b>Input Connector</b>	Black
<b>Output Connector</b>	Silver-Black

Red LED



Light Up Engrave



Please follow these artwork guidelines • Use and supply vector-based artwork • Illustrator compatible EPS or PDF with all fonts outlined • Indicate any necessary colour details with the correct PMS colour • All Pantone colours need to be supplied as Pantone Coated (PMS C) colours • All specifics need to be "embedded" in the file, i.e. no linked artwork should be provided • Bleed is crucial when printing edge to edge. Artwork must extend beyond the finished and trim size dimensions.


## AR878A

### Trent II LED Charge Cable


**Branding Options:** Light-Up Logo, Pad Print, 4CP Digital Print

**Product Size:** Cable Retainer: 34 dia. x 8 mm, Cable Length: 120 cm


**Colour:** Product Colour: SILVER-BLACK: Black shell\_Silver frame\_Black cable\_Black input\_Silver-Black output\_White LED, BLACK-BLACK: Black shell\_Black frame\_Black cable\_Black input\_Black-Black output\_White LED, BLUE-BLACK: Black shell\_Blue frame\_Black cable\_Black input\_Blue-Black output\_Blue LED, BLUE-WHITE: Blue shell\_Blue frame\_White cable\_White input\_Blue-White output\_White LED, GREEN-BLACK: Black shell\_Green frame\_Black cable\_Black input\_Green-Black output\_White LED, GREY-BLACK: Black shell\_Grey frame\_Black cable\_Black input\_Grey-Black output\_White LED, ORANGE-BLACK: Black shell\_Orange frame\_Black cable\_Black




50%  
 10mm



**Front**  
 Engrave Size:  
 20 x 16 mm



**Front**  
 Print Size:  
 30 mm Diameter  
 4CP Direct Digital



**Rear**  
 30 mm Diameter  
 Pad Print  
 4CP Direct Digital


100%

	Gray-Black
<b>SHELL</b>	Black
<b>FRAME</b>	Green
<b>LED</b>	White
<b>CABLE</b>	Black
<b>Input Connector</b>	Black
<b>Output Connector</b>	Green-Black

White LED



Light Up Engrave



Please follow these artwork guidelines • Use and supply vector-based artwork • Illustrator compatible EPS or PDF with all fonts outlined • Indicate any necessary colour details with the correct PMS colour • All Pantone colours need to be supplied as Pantone Coated (PMS C) colours • All specifics need to be "embedded" in the file, i.e. no linked artwork should be provided • Bleed is crucial when printing edge to edge. Artwork must extend beyond the finished and trim size dimensions.


## AR878A

### Trent II LED Charge Cable


**Branding Options:** Light-Up Logo, Pad Print, 4CP Digital Print

**Product Size:** Cable Retainer: 34 dia. x 8 mm, Cable Length: 120 cm


**Colour:** Product Colour: SILVER-BLACK: Black shell\_Silver frame\_Black cable\_Black input\_Silver-Black output\_White LED, BLACK-BLACK: Black shell\_Black frame\_Black cable\_Black input\_Black-Black output\_White LED, BLUE-BLACK: Black shell\_Blue frame\_Black cable\_Black input\_Blue-Black output\_Blue LED, BLUE-WHITE: Blue shell\_Blue frame\_White cable\_White input\_Blue-White output\_White LED, GREEN-BLACK: Black shell\_Green frame\_Black cable\_Black input\_Green-Black output\_White LED, GREY-BLACK: Black shell\_Grey frame\_Black cable\_Black input\_Grey-Black output\_White LED, ORANGE-BLACK: Black shell\_Orange frame\_Black cable\_Black




50%  
 10mm



**Front**  
 Engrave Size:  
 20 x 16 mm



**Front**  
 Print Size:  
 30 mm Diameter  
 4CP Direct Digital



**Rear**  
 30 mm Diameter  
 Pad Print  
 4CP Direct Digital


100%

Blue-White similar to PMS 2935C	
<b>SHELL</b>	Black
<b>FRAME</b>	Blue
<b>LED</b>	Blue
<b>CABLE</b>	Black
<b>Input Connector</b>	Black
<b>Output Connector</b>	Blue-Black

White LED



Light Up Engrave



Please follow these artwork guidelines • Use and supply vector-based artwork • Illustrator compatible EPS or PDF with all fonts outlined • Indicate any necessary colour details with the correct PMS colour • All Pantone colours need to be supplied as Pantone Coated (PMS C) colours • All specifics need to be "embedded" in the file, i.e. no linked artwork should be provided • Bleed is crucial when printing edge to edge. Artwork must extend beyond the finished and trim size dimensions.


## AR878A

### Trent II LED Charge Cable

**Branding Options:** Light-Up Logo, Pad Print, 4CP Digital Print

**Product Size:** Cable Retainer: 34 dia. x 8 mm, Cable Length: 120 cm

**Colour:** Product Colour: SILVER-BLACK: Black shell\_Silver frame\_Black cable\_Black input\_Silver-Black output\_White LED, BLACK-BLACK: Black shell\_Black frame\_Black cable\_Black input\_Black-Black output\_White LED, BLUE-BLACK: Black shell\_Blue frame\_Black cable\_Black input\_Blue-Black output\_Blue LED, BLUE-WHITE: Blue shell\_Blue frame\_White cable\_White input\_Blue-White output\_White LED, GREEN-BLACK: Black shell\_Green frame\_Black cable\_Black input\_Green-Black output\_White LED, GREY-BLACK: Black shell\_Grey frame\_Black cable\_Black input\_Grey-Black output\_White LED, ORANGE-BLACK: Black shell\_Orange frame\_Black cable\_Black



Please follow these artwork guidelines • Use and supply vector-based artwork • Illustrator compatible EPS or PDF with all fonts outlined • Indicate any necessary colour details with the correct PMS colour • All Pantone colours need to be supplied as Pantone Coated (PMS C) colours • All specifics need to be "embedded" in the file, i.e. no linked artwork should be provided • Bleed is crucial when printing edge to edge. Artwork must extend beyond the finished and trim size dimensions.




## AR878A

### Trent II LED Charge Cable


**Branding Options:** Light-Up Logo, Pad Print, 4CP Digital Print

**Product Size:** Cable Retainer: 34 dia. x 8 mm, Cable Length: 120 cm


**Colour:** Product Colour: SILVER-BLACK: Black shell\_Silver frame\_Black cable\_Black input\_Silver-Black output\_White LED, BLACK-BLACK: Black shell\_Black frame\_Black cable\_Black input\_Black-Black output\_White LED, BLUE-BLACK: Black shell\_Blue frame\_Black cable\_Black input\_Blue-Black output\_Blue LED, BLUE-WHITE: Blue shell\_Blue frame\_White cable\_White input\_Blue-White output\_White LED, GREEN-BLACK: Black shell\_Green frame\_Black cable\_Black input\_Green-Black output\_White LED, GREY-BLACK: Black shell\_Grey frame\_Black cable\_Black input\_Grey-Black output\_White LED, ORANGE-BLACK: Black shell\_Orange frame\_Black cable\_Black




50%  
 10mm



**Front**  
 Engrave Size:  
 20 x 16 mm



**Front**  
 Print Size:  
 30 mm Diameter  
 4CP Direct Digital



**Rear**  
 30 mm Diameter  
 Pad Print  
 4CP Direct Digital


100%

	White-Red
<b>SHELL</b>	Black
<b>FRAME</b>	Green
<b>LED</b>	White
<b>CABLE</b>	Black
<b>Input Connector</b>	Black
<b>Output Connector</b>	Green-Black

White LED



Light Up Engrave



Please follow these artwork guidelines • Use and supply vector-based artwork • Illustrator compatible EPS or PDF with all fonts outlined • Indicate any necessary colour details with the correct PMS colour • All Pantone colours need to be supplied as Pantone Coated (PMS C) colours • All specifics need to be "embedded" in the file, i.e. no linked artwork should be provided • Bleed is crucial when printing edge to edge. Artwork must extend beyond the finished and trim size dimensions.


## AR878A

### Trent II LED Charge Cable

**Branding Options:** Light-Up Logo, Pad Print, 4CP Digital Print


**Product Size:** Cable Retainer: 34 dia. x 8 mm, Cable Length: 120 cm

**Colour:** Product Colour: SILVER-BLACK: Black shell\_Silver frame\_Black cable\_Black input\_Silver-Black output\_White LED, BLACK-BLACK: Black shell\_Black frame\_Black cable\_Black input\_Black-Black output\_White LED, BLUE-BLACK: Black shell\_Blue frame\_Black cable\_Black input\_Blue-Black output\_Blue LED, BLUE-WHITE: Blue shell\_Blue frame\_White cable\_White input\_Blue-White output\_White LED, GREEN-BLACK: Black shell\_Green frame\_Black cable\_Black input\_Green-Black output\_White LED, GREY-BLACK: Black shell\_Grey frame\_Black cable\_Black input\_Grey-Black output\_White LED, ORANGE-BLACK: Black shell\_Orange frame\_Black cable\_Black




Front

Print : 59 x 210 mm  
 4 Colour Process  
 (Allow 3 mm Bleed)




Rear

Print : 59 x 210 mm  
 4 Colour Process  
 (Allow 3 mm Bleed)



Front Insert


Print : 59 x 210 mm --  
 4 Colour Process  
 3 mm Bleed --



Rear Insert

Print : 59 x 210 mm --  
 4 Colour Process  
 3 mm Bleed --

**PK038\_4 Pouch**  
**Pouch Dimensions 230 x 70 mm**



Please follow these artwork guidelines • Use and supply vector-based artwork • Illustrator compatible EPS or PDF with all fonts outlined • Indicate any necessary colour details with the correct PMS colour • All Pantone colours need to be supplied as Pantone Coated (PMS C) colours • All specifics need to be "embedded" in the file, i.e. no linked artwork should be provided • Bleed is crucial when printing edge to edge. Artwork must extend beyond the finished and trim size dimensions.


**AR878A**

**Trent II LED Charge Cable**

**Branding Options:** Light-Up Logo, Pad Print, 4CP Digital Print

**Product Size:** Cable Retainer: 34 dia. x 8 mm, Cable Length: 120 cm

**Colour:** Product Colour: SILVER-BLACK: Black shell\_Silver frame\_Black cable\_Black input\_Silver-Black output\_White LED, BLACK-BLACK: Black shell\_Black frame\_Black cable\_Black input\_Black-Black output\_White LED, BLUE-BLACK: Black shell\_Blue frame\_Black cable\_Black input\_Blue-Black output\_Blue LED, BLUE-WHITE: Blue shell\_ Blue frame\_White cable\_White input\_ Blue-White output\_White LED, GREEN-BLACK: Black shell\_Green frame\_Black cable\_Black input\_Green-Black output\_White LED, GREY-BLACK: Black shell\_Grey frame\_Black cable\_Black input\_Grey-Black output\_White LED, ORANGE-BLACK: Black shell\_Orange frame\_Black cable\_Black



**Box Face**

Branding : 100 x 25 mm (w x h)  
 1 Colour Print

75%

10mm



**SIDE 1**

**SIDE 2**



**@100%**

**With Compliments,  
 Free Engraved Logo**

**@50%**

**Box Dimensions 210 x 45 x 21 mm**

----- Extent of Branding  
 ( Not To Be Printed )

Please follow these artwork guidelines • Use and supply vector-based artwork • Illustrator compatible EPS or PDF with all fonts outlined • Indicate any necessary colour details with the correct PMS colour • All Pantone colours need to be supplied as Pantone Coated (PMS C) colours • All specifics need to be "embedded" in the file, i.e. no linked artwork should be provided • Bleed is crucial when printing edge to edge. Artwork must extend beyond the finished and trim size dimensions.



**AR878A**

**Trent II LED Charge Cable**

**Branding Options:** Light-Up Logo, Pad Print, 4CP Digital Print

**Product Size:** Cable Retainer: 34 dia. x 8 mm, Cable Length: 120 cm

**Colour:** Product Colour: SILVER-BLACK: Black shell\_Silver frame\_Black cable\_Black input\_Silver-Black output\_White LED, BLACK-BLACK: Black shell\_Black frame\_Black cable\_Black input\_Black-Black output\_White LED, BLUE-BLACK: Black shell\_Blue frame\_Black cable\_Black input\_Blue-Black output\_Blue LED, BLUE-WHITE: Blue shell\_Blue frame\_White cable\_White input\_Blue-White output\_White LED, GREEN-BLACK: Black shell\_Green frame\_Black cable\_Black input\_Green-Black output\_White LED, GREY-BLACK: Black shell\_Grey frame\_Black cable\_Black input\_Grey-Black output\_White LED, ORANGE-BLACK: Black shell\_Orange frame\_Black cable\_Black



**Box Face**

Branding : 120 x 25 mm (w x h)  
1 Colour Print

**PK055 - Kraft Sliding Gift Box 2**  
**Box Dimensions 210 x 45 x 23 mm**



----- Extent of Branding  
( Not To Be Printed )

Please follow these artwork guidelines • Use and supply vector-based artwork • Illustrator compatible EPS or PDF with all fonts outlined • Indicate any necessary colour details with the correct PMS colour • All Pantone colours need to be supplied as Pantone Coated (PMS C) colours • All specifics need to be "embedded" in the file, i.e. no linked artwork should be provided • Bleed is crucial when printing edge to edge. Artwork must extend beyond the finished and trim size dimensions.