

AR878

Trent 3n1 Light Up Charge Cable


Print Process: Light-Up Logo, 4CP Digital Print, Epoxy Dome, Moulded 2D PVC

Product Size: Cable Retainer: 34 dia. x 8 mm, Cable Length: 120 cm or 70 cm


Colours: Product Colour: Black/Silver & White (LED), Black/Blue & Blue (LED), Black/Orange & Orange (LED), Black/Red-Black & Red (LED), Green/White & White (LED). Please refer to our Refer to our PDF. Blue PMS 293C, Green PMS 3425C, Orange PMS 171C.




50%
 10mm



Front
 Engrave Safe Size: 20 x 20 mm
 LED Safe Size: 17 x 17 mm




Front
 Print Size:
 30 mm Diameter
 4CP Direct Digital
 4CP Epoxy Dome
 Moulded 2D (1-4 Col)



Rear
 30 mm Diameter
 Pad Print
 4CP Direct Digital

100%

	Black/Silver
SHELL	black
FRAME	silver
LED	white
CABLE	black
CONNECTOR	silver
FINISH	UV Gloss



Please follow these artwork guidelines: • Use and supply vector-based artwork • Illustrator compatible EPS or PDF with all fonts outlined • Indicate any critical colour details with the correct PMS colour • All Pantone colours need to be supplied as Pantone Coated (PMS C) colours • All details need to be “embedded” in the file, i.e. no linked artwork should be provided • Bleed is crucial when printing edge to edge. Artwork must extend beyond the finished and trim size dimensions.

AR878

Trent 3n1 Light Up Charge Cable


Print Process: Light-Up Logo, 4CP Digital Print, Epoxy Dome, Moulded 2D PVC

Product Size: Cable Retainer: 34 dia. x 8 mm, Cable Length: 120 cm or 70 cm


Colours: Product Colour: Black/Silver & White (LED), Black/Blue & Blue (LED), Black/Orange & Orange (LED), Black/Red-Black & Red (LED), Green/White & White (LED). Please refer to our Refer to our PDF. Blue PMS 293C, Green PMS 3425C, Orange PMS 171C.




50%
 10mm



Front
 Engrave Safe Size: 20 x 20 mm
 LED Safe Size: 17 x 17 mm





Front
 Print Size: 30 mm Diameter
 4CP Direct Digital
 4CP Epoxy Dome
 Moulded 2D (1-4 Col)



Rear
 30 mm Diameter
 Pad Print
 4CP Direct Digital

100%

	Black/Blue	PMS 293C
SHELL	black	
FRAME	blue	
LED	blue	
CABLE	black	
CONNECTOR	blue	
FINISH	UV Gloss	



Please follow these artwork guidelines: • Use and supply vector-based artwork • Illustrator compatible EPS or PDF with all fonts outlined • Indicate any critical colour details with the correct PMS colour • All Pantone colours need to be supplied as Pantone Coated (PMS C) colours • All details need to be “embedded” in the file, i.e. no linked artwork should be provided • Bleed is crucial when printing edge to edge. Artwork must extend beyond the finished and trim size dimensions.

AR878

Trent 3n1 Light Up Charge Cable


Print Process: Light-Up Logo, 4CP Digital Print, Epoxy Dome, Moulded 2D PVC

Product Size: Cable Retainer: 34 dia. x 8 mm, Cable Length: 120 cm or 70 cm


Colours: Product Colour: Black/Silver & White (LED), Black/Blue & Blue (LED), Black/Orange & Orange (LED), Black/Red-Black & Red (LED), Green/White & White (LED). Please refer to our Refer to our PDF. Blue PMS 293C, Green PMS 3425C, Orange PMS 171C.




50%
 10mm



Front
 Engrave Safe Size: 20 x 20 mm
 LED Safe Size: 17 x 17 mm





Front
 Print Size:
 30 mm Diameter
 4CP Direct Digital
 4CP Epoxy Dome
 Moulded 2D (1-4 Col)



Rear
 30 mm Diameter
 Pad Print
 4CP Direct Digital

100%

	Black/Red	PMS 199C
SHELL	black	
FRAME	translucent	
LED	red	
CABLE	black/red	
CONNECTOR	black	
FINISH	UV Gloss	



Please follow these artwork guidelines: • Use and supply vector-based artwork • Illustrator compatible EPS or PDF with all fonts outlined • Indicate any critical colour details with the correct PMS colour • All Pantone colours need to be supplied as Pantone Coated (PMS C) colours • All details need to be “embedded” in the file, i.e. no linked artwork should be provided • Bleed is crucial when printing edge to edge. Artwork must extend beyond the finished and trim size dimensions.


AR878

Trent 3n1 Light Up Charge Cable


Print Process: Light-Up Logo, 4CP Digital Print, Epoxy Dome, Moulded 2D PVC

Product Size: Cable Retainer: 34 dia. x 8 mm, Cable Length: 120 cm or 70 cm


Colours: Product Colour: Black/Silver & White (LED), Black/Blue & Blue (LED), Black/Orange & Orange (LED), Black/Red-Black & Red (LED), Green/White & White (LED). Please refer to our Refer to our PDF. Blue PMS 293C, Green PMS 3425C, Orange PMS 171C.




50%
 10mm



Front
 Engrave Safe Size: 20 x 20 mm
 LED Safe Size: 17 x 17 mm





Front
 Print Size:
 30 mm Diameter
 4CP Direct Digital
 4CP Epoxy Dome
 Moulded 2D (1-4 Col)



Rear
 30 mm Diameter
 Pad Print
 4CP Direct Digital

100%

	Green/White	PMS 3425C
SHELL	green	
FRAME	green	
LED	white	
CABLE	white	
CONNECTOR	green	
FINISH	Rubber Coated	



Please follow these artwork guidelines: • Use and supply vector-based artwork • Illustrator compatible EPS or PDF with all fonts outlined • Indicate any critical colour details with the correct PMS colour • All Pantone colours need to be supplied as Pantone Coated (PMS C) colours • All details need to be “embedded” in the file, i.e. no linked artwork should be provided • Bleed is crucial when printing edge to edge. Artwork must extend beyond the finished and trim size dimensions.

AR878

Trent 3n1 Light Up Charge Cable


Print Process: Light-Up Logo, 4CP Digital Print, Epoxy Dome, Moulded 2D PVC

Product Size: Cable Retainer: 34 dia. x 8 mm, Cable Length: 120 cm or 70 cm


Colours: Product Colour: Black/Silver & White (LED), Black/Blue & Blue (LED), Black/Orange & Orange (LED), Black/Red-Black & Red (LED), Green/White & White (LED). Please refer to our Refer to our PDF. Blue PMS 293C, Green PMS 3425C, Orange PMS 171C.




50%
 10mm



Front
 Engrave Safe Size: 20 x 20 mm
 LED Safe Size: 17 x 17 mm





Front
 Print Size: 30 mm Diameter
 4CP Direct Digital
 4CP Epoxy Dome
 Moulded 2D (1-4 Col)



Rear
 30 mm Diameter
 Pad Print
 4CP Direct Digital

100%

	Black/Orange	PMS 171C
SHELL	black	
FRAME	orange	
LED	orange	
CABLE	black	
CONNECTOR	orange	
FINISH	Rubber Coated	



Please follow these artwork guidelines: • Use and supply vector-based artwork • Illustrator compatible EPS or PDF with all fonts outlined • Indicate any critical colour details with the correct PMS colour • All Pantone colours need to be supplied as Pantone Coated (PMS C) colours • All details need to be “embedded” in the file, i.e. no linked artwork should be provided • Bleed is crucial when printing edge to edge. Artwork must extend beyond the finished and trim size dimensions.


AR878

Trent 3n1 Light Up Charge Cable


Print Process: Light-Up Logo, 4CP Digital Print, Epoxy Dome, Moulded 2D PVC

Product Size: Cable Retainer: 34 dia. x 8 mm, Cable Length: 120 cm or 70 cm


Colours: Product Colour: Black/Silver & White (LED), Black/Blue & Blue (LED), Black/Orange & Orange (LED), Black/Red-Black & Red (LED), Green/White & White (LED). Please refer to our Refer to our PDF. Blue PMS 293C, Green PMS 3425C, Orange PMS 171C.




Front
 Print : 59 x 210 mm
 4 Colour Process
 (Allow 3 mm Bleed)



Rear
 Print : 59 x 210 mm
 4 Colour Process
 (Allow 3 mm Bleed)



Front Insert
 Print : 59 x 210 mm --
 4 Colour Process
 3 mm Bleed --



Rear Insert
 Print : 59 x 210 mm --
 4 Colour Process
 3 mm Bleed --

50%

10mm

Please follow these artwork guidelines: • Use and supply vector-based artwork • Illustrator compatible EPS or PDF with all fonts outlined • Indicate any critical colour details with the correct PMS colour • All Pantone colours need to be supplied as Pantone Coated (PMS C) colours • All details need to be “embedded” in the file, i.e. no linked artwork should be provided • Bleed is crucial when printing edge to edge. Artwork must extend beyond the finished and trim size dimensions.


AR878

Trent 3n1 Light Up Charge Cable

Print Process: Light-Up Logo, 4CP Digital Print, Epoxy Dome, Moulded 2D PVC

Product Size: Cable Retainer: 34 dia. x 8 mm, Cable Length: 120 cm or 70 cm

Colours: Product Colour: Black/Silver & White (LED), Black/Blue & Blue (LED), Black/Orange & Orange (LED), Black/Red-Black & Red (LED), Green/White & White (LED). Please refer to our Refer to our PDF. Blue PMS 293C, Green PMS 3425C, Orange PMS 171C.



Please follow these artwork guidelines: • Use and supply vector-based artwork • Illustrator compatible EPS or PDF with all fonts outlined • Indicate any critical colour details with the correct PMS colour • All Pantone colours need to be supplied as Pantone Coated (PMS C) colours • All details need to be “embedded” in the file, i.e. no linked artwork should be provided • Bleed is crucial when printing edge to edge. Artwork must extend beyond the finished and trim size dimensions.